

Eurofins Microbiology Lab Madison

6304 Ronald Reagan Avenue
Madison, Wisconsin, USA 53704
+1 608-949-3880
Micro-MAD@eurofinsus.com

Rad One LTD

Claudia Armstead
32 Barnmead
Haywards, UNITED KINGDOM RH16 1UZ

ANALYTICAL REPORT

AR-24-JL-046047-03
Report Supersedes AR-24-JL-046047-02

Client Code: JL0000651
PO#: PO-0281_Phosphatidylserine

Received On: 19Jul2024
Reported On: 22Aug2024

Eurofins Sample Code:	990-2024-07190153	Sample Registration Date:	19Jul2024
Client Sample Code:	Lot# 031524225	Condition Upon Receipt:	acceptable, 21.2°C
Sample Description:	Phosphatidylserine	Sample Reference:	
Serving Size	1 Capsule		

FS014 - Heavy Metals USP 233	Reference USP 233 Mod.	Accreditation	Completed 13Aug2024	Sub 1
-------------------------------------	----------------------------------	----------------------	-------------------------------	-----------------

Parameter	Result	Result	Theoretical
Arsenic	<10.0 ppb	<0.007 µg/Serving	
Cadmium	<5.00 ppb	<0.004 µg/Serving	
Lead	16.5 ppb	0.012 µg/Serving	
Mercury	<5.00 ppb	<0.004 µg/Serving	

FS05M - Organoleptic Evaluation	Reference Internal Method based on USP 25th ed. pg 2363	Accreditation	Completed 05Aug2024	Sub 1
--	--	----------------------	-------------------------------	-----------------

Parameter	Result	Result	Theoretical
Appearance	Clear capsule with off-white powder fill	Clear capsule with off-white powder fill	
Characteristic Odor	No odor detected	No odor detected	
Package Appearance	Black plastic commercial container	Black plastic commercial container	

FS0A5 - Lecithin Phospholipids	Reference AOCS Ja 7c-07 (2007) Mod.	Accreditation	Completed 22Aug2024	Sub 1
---------------------------------------	---	----------------------	-------------------------------	-----------------

Parameter	Result	Result	Theoretical
Lyso Phosphatidylcholine (LPC)	<5,000 ppm	<3.74 mg/Serving	
Phosphatidic acid (PA)	28,700 ppm	17.8 mg/Serving	
Phosphatidylcholine (PC)	15,500 ppm	9.64 mg/Serving	
Phosphatidylethanolamine (PE)	<8,000 ppm	<5.99 mg/Serving	
Phosphatidylinositol (PI)	9,450 ppm	5.88 mg/Serving	
Phosphatidylserine (PS)	176,000 ppm	109 mg/Serving	

FSPRP - Serving Size - Content (Fill) Weight	Reference Internal method	Accreditation	Completed 22Aug2024	Sub 1
---	-------------------------------------	----------------------	-------------------------------	-----------------

Rad One LTD

Claudia Armstead
32 Barnmead
Haywards, UNITED KINGDOM RH16 1UZ

ANALYTICAL REPORT

AR-24-JL-046047-03
Report Supersedes AR-24-JL-046047-02

Client Code: JL0000651
PO#: PO-0281_Phosphatidylserine

Received On: 19Jul2024
Reported On: 22Aug2024

Eurofins Sample Code: 990-2024-07190153		Sample Registration Date: 19Jul2024			
Client Sample Code: Lot# 031524225		Condition Upon Receipt: acceptable, 21.2°C			
Sample Description: Phosphatidylserine		Sample Reference:			
Serving Size 1 Capsule					
FSRP - Serving Size - Content (Fill) Weight		Reference Internal method	Accreditation	Completed 22Aug2024	Sub 1
Parameter		Result	Result	Theoretical	
Entity Weight		0.7482 g			
Entity Fill Weight		0.6218 g			
Units per serving		1 Capsule		1 Capsule	
ZMCKU - E. coli - USP <2022>		Reference USP <2022>	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 22Jul2024	
Parameter		Result	Result	Theoretical	
E. coli		Not Detected per 10 g	Not Detected per 10 g		
ZMDFJ - Total Combined Yeasts/Moulds Count - USP Chapter <2021>		Reference U.S. Pharmacopeia Chapter 2021	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 24Jul2024	
Parameter		Result	Result	Theoretical	
Total Combined Yeasts/Moulds Count		< 100 cfu/g	< 100 cfu/g		
ZMDFK - Total Aerobic Microbial Count - USP Chapter <2021>		Reference U.S. Pharmacopeia Chapter 2021	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 21Jul2024	
Parameter		Result	Result	Theoretical	
Total Aerobic Microbial Count		100 (est) cfu/g	100 (est) cfu/g		
ZMDGE - Staphylococcus aureus - USP Chapter <2022>		Reference U.S. Pharmacopeia Chapter 2022	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 21Jul2024	
Parameter		Result	Result	Theoretical	
Staphylococcus aureus		Not Detected per g	Not Detected per g		
ZMDHV - Pseudomonas aeruginosa - USP Chapter <62>		Reference U.S. Pharmacopeia Chapter 62	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 21Jul2024	
Parameter		Result	Result	Theoretical	
Pseudomonas aeruginosa		Not Detected per g	Not Detected per g		
ZME88 - Bile-Tolerant Gram Negative Bacteria (Semiquanti) - USP Chapter <2021>		Reference U.S. Pharmacopeia Chapter 2021	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 22Jul2024	
Parameter		Result	Result	Theoretical	

Rad One LTD
Claudia Armstead
32 Barnmead
Haywards, UNITED KINGDOM RH16 1UZ

ANALYTICAL REPORT
AR-24-JL-046047-03
Report Supersedes AR-24-JL-046047-02

Client Code: JL0000651
PO#: PO-0281_Phosphatidylserine
Received On: 19Jul2024
Reported On: 22Aug2024

Eurofins Sample Code: 990-2024-07190153		Sample Registration Date: 19Jul2024	
Client Sample Code: Lot# 031524225		Condition Upon Receipt: acceptable, 21.2°C	
Sample Description: Phosphatidylserine		Sample Reference:	
Serving Size 1 Capsule			
ZME88 - Bile-Tolerant Gram Negative Bacteria (Semiquanti) - USP Chapter <2021>		Reference U.S. Pharmacopeia Chapter 2021	Accreditation ISO/IEC 17025:2017 A2LA 2918.05
		Completed 22Jul2024	
Parameter	Result	Result	Theoretical
Bile-Tolerant Gram Negative Bacteria (Semiquanti)	<10 MPN per g	<10 MPN per g	
ZMEV2 - Salmonella - USP Chapter <2022>		Reference U.S. Pharmacopeia Chapter 2022	Accreditation ISO/IEC 17025:2017 A2LA 2918.05
		Completed 22Jul2024	
Parameter	Result	Result	Theoretical
Salmonella spp.	Not Detected per 10 g	Not Detected per 10 g	

Report Comment:
Rev. 02: Updated phospholipids to report using 1 capsule (fill only) (as tested by lab).
Rev. 01: Updated serving size to 1 capsule & revised results to report per 1 capsule serving size.
Subcontracting partners:
1 - Eurofins Food Chemistry Testing US Madison, Wisconsin

Respectfully Submitted,


Shannon Kelly
Snr Client Services Associate



Results shown in this report relate solely to the item submitted for analysis. | Any opinions/interpretations expressed on this report are given independent of the laboratory's scope of accreditation. | All results are reported on an "As Received" basis unless otherwise stated. | Reports shall not be reproduced except in full without written permission of Eurofins Scientific, Inc. | All work done in accordance with Eurofins General Terms and Conditions of Sale: www.eurofinsus.com/terms_and_conditions.pdf | √ Indicates a subcontract test to a different lab. Lab(s) are listed at end of the report. For further details about the performing labs please contact your customer service contact at Eurofins. Measurement of uncertainty can be obtained upon request.