

Eurofins Microbiology Lab Madison

6304 Ronald Reagan Avenue
Madison, Wisconsin, USA 53704
+1 608-949-3880
Micro-MAD@eurofinsus.com

Rad One LTD

Claudia Armstead
32 Barnmead
Haywards, UNITED KINGDOM RH16 1UZ

ANALYTICAL REPORT

AR-24-JL-031794-01

Client Code: JL0000651
PO#: PO-0273_Phosphatidylserine

Received On: 28May2024
Reported On: 03Jun2024

Eurofins Sample Code: 990-2024-05280231		Sample Registration Date: 28May2024			
Client Sample Code: PH0686-044-2A / -045-2A		Condition Upon Receipt: acceptable, 21.3°C			
Sample Description: Phosphatidylserine		Sample Reference:			
FS014 - Heavy Metals USP 233		Reference USP 233 Mod.	Accreditation	Completed 03Jun2024	Sub 1
Parameter	Result	Result	Theoretical		
Arsenic	16.6 ppb	0.010 µg/Serving			
Cadmium	6.76 ppb	0.004 µg/Serving			
Lead	40.9 ppb	0.024 µg/Serving			
Mercury	<5.00 ppb	<0.003 µg/Serving			
FS05M - Organoleptic Evaluation		Reference Internal Method based on USP 25th ed. pg 2363	Accreditation	Completed 03Jun2024	Sub 1
Parameter	Result	Result	Theoretical		
Appearance	Clear capsule with off-white powder fill	Clear capsule with off-white powder fill			
Characteristic Odor	No discernible odor	No discernible odor			
Package Appearance	Black plastic commercial container	Black plastic commercial container			
FS0A5 - Lecithin Phospholipids		Reference AOCS Ja 7c-07 (2007) Mod.	Accreditation	Completed 03Jun2024	Sub 1
Parameter	Result	Result	Theoretical		
Lyso Phosphatidylcholine (LPC)	<5,000 ppm	<2.45 mg/Serving			
Phosphatidic acid (PA)	31,900 ppm	15.6 mg/Serving			
Phosphatidylcholine (PC)	62,700 ppm	30.7 mg/Serving			
Phosphatidylethanolamine (PE)	73,500 ppm	36.0 mg/Serving			
Phosphatidylinositol (PI)	152,000 ppm	74.4 mg/Serving			
Phosphatidylserine (PS)	193,000 ppm	94.5 mg/Serving			
FSPRP - Serving Size - Content (Fill) Weight		Reference Internal method	Accreditation	Completed 03Jun2024	Sub 1
Parameter	Result	Result	Theoretical		

Rad One LTD

Claudia Armstead
32 Barnmead
Haywards, UNITED KINGDOM RH16 1UZ

ANALYTICAL REPORT

AR-24-JL-031794-01

Client Code: JL0000651
PO#: PO-0273_Phosphatidylserine

Received On: 28May2024
Reported On: 03Jun2024

Eurofins Sample Code: 990-2024-05280231		Sample Registration Date: 28May2024		
Client Sample Code: PH0686-044-2A / -045-2A		Condition Upon Receipt: acceptable, 21.3°C		
Sample Description: Phosphatidylserine		Sample Reference:		
FSRP - Serving Size - Content (Fill) Weight		Reference Internal method	Accreditation	Completed 03Jun2024
Parameter		Result	Result	Theoretical
Entity Weight		0.5872 g		
Entity Fill Weight		0.4898 g		
Units per serving		1 Capsule		1 Capsule
ZMCKU - E. coli - USP <2022>		Reference USP <2022>	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 31May2024
Parameter		Result	Result	Theoretical
E. coli		Not Detected per 10 g	Not Detected per 10 g	
ZMDFJ - Total Combined Yeasts/Moulds Count - USP Chapter <2021>		Reference U.S. Pharmacopeia Chapter 2021	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 02Jun2024
Parameter		Result	Result	Theoretical
Total Combined Yeasts/Moulds Count		< 100 cfu/g	< 100 cfu/g	
ZMDFK - Total Aerobic Microbial Count - USP Chapter <2021>		Reference U.S. Pharmacopeia Chapter 2021	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 30May2024
Parameter		Result	Result	Theoretical
Total Aerobic Microbial Count		< 100 cfu/g	< 100 cfu/g	
ZMDGE - Staphylococcus aureus - USP Chapter <2022>		Reference U.S. Pharmacopeia Chapter 2022	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 30May2024
Parameter		Result	Result	Theoretical
Staphylococcus aureus		Not Detected per g	Not Detected per g	
ZMDHV - Pseudomonas aeruginosa - USP Chapter <62>		Reference U.S. Pharmacopeia Chapter 62	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 30May2024
Parameter		Result	Result	Theoretical
Pseudomonas aeruginosa		Not Detected per g	Not Detected per g	
ZME88 - Bile-Tolerant Gram Negative Bacteria (Semiquanti) - USP Chapter <2021>		Reference U.S. Pharmacopeia Chapter 2021	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 31May2024
Parameter		Result	Result	Theoretical
Bile-Tolerant Gram Negative Bacteria (Semiquanti)		<10 MPN per g	<10 MPN per g	

Eurofins Sample Code:	990-2024-05280231	Sample Registration Date:	28May2024
Client Sample Code:	PH0686-044-2A / -045-2A	Condition Upon Receipt:	acceptable, 21.3°C
Sample Description:	Phosphatidylserine	Sample Reference:	

ZMEV2 - Salmonella - USP Chapter <2022>	Reference U.S. Pharmacopeia Chapter 2022	Accreditation ISO/IEC 17025:2017 A2LA 2918.05	Completed 31May2024
---	---	---	------------------------

Parameter	Result	Result	Theoretical
Salmonella spp.	Not Detected per 10 g	Not Detected per 10 g	

Subcontracting partners:
1 - Eurofins Food Chemistry Testing US Madison, Wisconsin

Respectfully Submitted,


Shannon Kelly
Snr Client Services Associate



Results shown in this report relate solely to the item submitted for analysis. | Any opinions/interpretations expressed on this report are given independent of the laboratory's scope of accreditation. | All results are reported on an "As Received" basis unless otherwise stated. | Reports shall not be reproduced except in full without written permission of Eurofins Scientific, Inc. | All work done in accordance with Eurofins General Terms and Conditions of Sale: www.eurofinsus.com/terms_and_conditions.pdf | ✓ Indicates a subcontract test to a different lab. Lab(s) are listed at end of the report. For further details about the performing labs please contact your customer service contact at Eurofins. Measurement of uncertainty can be obtained upon request.